

You come with just an idea - we make great software for you!

Trust Teamwork Transparency



Isomorphic Javascript: new silver bullet

Vitaliy Medvedev, Arcadia



As true as steel to your desire

About me

Vitaliy Medvedev

Leading Software Engineer at JSC "Arcadia Inc."

5+ years of experience in software development

<u>vitaliy.medvedev@arcadia.spb.ru</u> <u>http://twitter.com/imevs</u>







Where JS works

- client
- server
- desktop
- mobile
- quadcopters













Single page application (SPA)

Frontend (MVC)

Animation
Validation
Templating
Routing

JSON (AJAX/WebSockets) **Backend** (MVC)

Persistence Authentication Heavy calculations

HTML/CSS/JS


PHP/C#/Java/NodeJs



SPA problems

- loading time
- search engine indexing
- logic duplication
 - different languages different ecosystems
 - cross-functional restrictions







1. Solution!




What to do?

- 1. Write in the same language on both sides
- 2. Use same code on both sides



Isomorphic? WAT?!

- cross-platform
- multi-platform
- heteromorphic
-





Who invented isomorphism?

History:

- 1. 18 Oct 2011
 Scaling Isomorphic Javascript Code
- 2. 01 Apr 2012 Yahoo! Mojito Framework
- 3. 08 Nov 2013

The future of web apps is — ready? — isomorphic JavaScript



2. Let's do isomorphism!



Using scripts



var module = require(\./jquery');



<script src="script.js" [async] [defer]></script>



require(['jquery'], function (\$) {
 // do smth
})

Differences between client & server JS

- Global objects
 global / window
- Different available api localStorage, historyApi, WebGL, Canvas, FileSystem
- Differences in API behavior cookies, websockets, webworkers



Differences between client & server JS

- Environment
- Script loading
- Available api
- Engine version



Diving into isomorphism

- Understand that you can write as isomorphic
- Code kinds
 - Code that should not work at frontend side
 - Code that should not work at backend side
 - Independent of environment
 - o Dependent of environment



Diving into isomorphism

- Abstraction from environment browserify, typescript
- Environment specific unit tests karma, mocha, phantomis
- Static code analysis
 jslint, jshint, eslint, tslint



Code before isomorphism

```
1 // Browser
                                                  JavaScript
2 function browserSum (a, b) { return a+b; }
3
4 // NodeJs
5 module.exports.serverSum = function(a,b) {
     return a+b;
7 };
```



Simple isomorphic module

```
1 (function(exports) {
                                                  JavaScript
      exports.isomorphicSum = function(a, b) {
          return a + b;
     };
5 })(typeof exports ? exports : window);
```

What is isomorphic code good for?

- 1. Templating (handlebarsjs)
- 2. Business logic:
 - o validation
 - o filtering
 - o calculations
- 3. Using common libraries (jquery, undescore)



Isomorphic libraries

- iquery
- undescore
- backbonejs
- lodash
- cryptojs
- handlebarsjs
- async



3. What's next?



Full stack javascript frameworks















Profit

- ✓ decrease loading time
- ✓ search engine indexing
- ✓ decrease logic duplication
- ✓ better code design
- ✓ code consistency



Useful links

Learning resources:

- 1. http://venturebeat.com/2013/11/08/the-future-of-web-apps-is-ready-isomorphic-javascript/
- http://www.slideshare.net/spikebrehm/a-28174727
- 3. http://isomorphic.net/
- 4. http://codewinds.com/podcast/009.html
- 5. https://github.com/spikebrehm/isomorphic-tutorial
- 6. http://jsfiddle.net/7o2mrby9/

Production examples:

- 1. http://airbnb.com/
- 2. https://lever.co/



Q&A

